

THE EXTENSIVE RANGE OF RACOLD WATER HEATERS FOR ALL YOUR NEEDS

PRICELIST **FEBRUARY
2021**



Customer Care : 1860 425 2288 | WhatsApp : 7362 888 999

BRINGING OVER
— 60 YEARS OF —
TRUST



Reborn Everyday With Hot Water

Racold is India's most trusted brand of water heaters from the house of Ariston, with a portfolio of premium quality products that cover the entire spectrum of water heating solutions.

At Racold, our innovative products are a testimony of our commitment towards understanding our consumer's needs. Racold is leading the water heater industry by delivering efficiency and eco-friendly benefits with our products. No wonder, Racold has been selected as Superbrand 2019.

Racold believes in the power of quality hot shower that enables the physical and emotional transformation to be reborn every day.



Delivering breakthrough innovation, quality water heating solutions and complete customer satisfaction since more than 60 years.



Awarded nine times in a row by the Bureau of Energy Efficiency from 2010-2018. We place energy efficiency at the heart of our sustainable growth strategy and are deeply committed to energy conservation.



Safety Foremost

Racold Water Heaters have multiple measures for safety against high temperature and pressure. Equipped with features that ensure thermal stability and prevent chances of hazards, when you bring home safe and reliable Racold Water Heaters, all you have to do is turn it on and relax.



Winner of Good Design Award

Winner of the prestigious Good Design™ Awards for cutting-edge product designs.



Always At Your Service

Our network of more than 1000 service technicians and 300 service centers across the country are always at your service, for any doubts or assistance. With our 24x7 WhatsApp Chat services and Customer Care services, it's also very easy to reach out to us.

Omnis WiFi



Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3180595	25 L	Body Panel	2 kW	★★★★★	21,549	14,000	447 x 447 x 386
3180594	15 L	Body Panel	2 kW	★★★★★	19,899	12,923	360 x 360 x 324

Omnis Lux



Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3180604	25 L	Body Panel	2 kW	★★★★★	17,499	11,390	447 x 447 x 386
3180603	25 L	Body Panel	2 kW	★★★★★	17,499	11,390	447 x 447 x 386
3180602	15 L	Body Panel	2 kW	★★★★★	16,199	10,537	360 x 360 x 324
3180601	15 L	Body Panel	2 kW	★★★★★	16,199	10,537	360 x 360 x 324
3180600	10 L	Body Panel	2 kW	★★★★★	14,199	9,238	360 x 360 x 276
3180599	10 L	Body Panel	2 kW	★★★★★	14,199	9,238	360 x 360 x 276

Omnis Lux Plus



Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3180598	25 L	Body Panel	2 kW	★★★★★	18,399	11,947	447 x 447 x 386
3180597	15 L	Body Panel	2 kW	★★★★★	16,999	11,056	360 x 360 x 324
3180596	10 L	Body Panel	2 kW	★★★★★	14,949	9,721	360 x 360 x 276

Andris Uno

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3180607	25 L	Body Panel	2 kW	★★★★★	14,699	10,159	447 x 447 x 390
3180610	25 L	Body Panel	2 kW	★★★★★	14,699	10,159	447 x 447 x 390
3180606	15 L	Body Panel	2 kW	★★★★★	12,649	8,720	360 x 360 x 326
3180609	15 L	Body Panel	2 kW	★★★★★	12,649	8,720	360 x 360 x 326
3180605	10 L	Body Panel	2 kW	★★★★★	11,399	7,840	360 x 360 x 278
3180608	10 L	Body Panel	2 kW	★★★★★	11,399	7,840	360 x 360 x 278

**Andris Lux Plus**

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3180400	25 L	Body Panel	2 kW	★★★★★	15,149	10,472	447 x 447 x 410
3180399	15 L	Body Panel	2 kW	★★★★★	13,049	8,987	360 x 360 x 346
3180398	10 L	Body Panel	2 kW	★★★★★	11,749	8,080	360 x 360 x 298

**Andris Slim**

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3180558	30 L	Body Panel	2.5 kW	★★★★★	15,649	10,806	754 x 335 x 340
3180633	20 L	Body Panel	2.5 kW	★★★★★	13,249	9,130	700 x 280 x 302



Platinum Plus



Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3201521	100 L	Body	3 kW	★★★★★	38,949	26,278	993 x 493 x 499
3201520	50 L	Body	3 kW	★★★★★	20,949	14,120	613 x 493 x 499

Platinum Eco



Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3201538	70 L	Body	3 kW	★★★★★	26,699	18,019	760 x 470 x 485
3201537	50 L	Body	3 kW	★★★★★	19,349	13,037	560 x 470 x 485

CDR (Vertical)



Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803021	50 L	Body Dome	2 kW	★★★★★	17,299	12,095	907 x 399 x 399
3803023	35 L	Body Dome	2 kW	★★★★★	11,649	9,319	655 x 367 x 367
3803024	35 L	Body Dome	2 kW	★★★★★	11,649	9,319	655 x 367 x 367
3802975	25 L	Body Dome	2 kW	★★★★★	10,349	8,279	513 x 367 x 367
3802976	25 L	Body Dome	2 kW	★★★★★	10,349	8,279	513 x 367 x 367
3802977	15 L-S	Body Dome	2 kW	★★★★★	9,049	7,239	388 x 367 x 367
3802978	15 L-S	Body Dome	2 kW	★★★★★	9,049	7,239	388 x 367 x 367
3802973	15 L	Body Dome	2 kW	★★★★★	9,000	7,200	562 x 290 x 290
3802974	15 L	Body Dome	2 kW	★★★★★	9,000	7,200	562 x 290 x 290
3802999	10 L	Body Dome	2 kW	★★★★★	8,125	6,500	442 x 290 x 290
3803000	10 L	Body Dome	2 kW	★★★★★	8,125	6,500	442 x 290 x 290

S - Small Length

CDR (Horizontal)

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803025	50 L	Body Dome	2 kW	★★★★	17,849	12,504	907 x 399 x 399
3803026	50 L-CP	Body Dome	2 kW	★★★★	17,849	12,504	907 x 399 x 399
3803027	50 L-HL	Body Dome	2 kW	★★★★	17,849	12,504	907 x 399 x 399
3803031	35 L	Body Dome	2 kW	★★★★	12,099	9,679	702 x 399 x 399
3803032	35 L-HL	Body Dome	2 kW	★★★★	12,099	9,679	702 x 399 x 399
3803004	25 L	Body Dome	2 kW	★★★★	10,849	8,679	831 x 320 x 320
3803005	25 L	Body Dome	2 kW	★★★★	10,849	8,679	831 x 320 x 320
3803006	25 L-HL	Body Dome	2 kW	★★★★	10,849	8,679	831 x 320 x 320
3803017	25 L-I/O	Body Dome	2 kW	★★★★	10,849	8,679	831 x 320 x 320
3803001	15 L	Body Dome	2 kW	★★★★	9,545	7,636	570 x 320 x 320
3803002	15 L	Body Dome	2 kW	★★★★	9,545	7,636	570 x 320 x 320
3803003	15 L-HL	Body Dome	2 kW	★★★★	9,545	7,636	570 x 320 x 320
3803016	15 L-I/O	Body Dome	2 kW	★★★★	9,545	7,636	570 x 320 x 320
3803012	10 L	Body Dome	2 kW	★★★★	8,625	6,900	450 x 320 x 320
3803013	10 L-HL	Body Dome	2 kWv	★★★★	8,625	6,900	450 x 320 x 320



S - Small Length
 CP - Centre Pipe
 HL - Horizontal Left
 I/O - Horizontal Inlet Outlet

CDR Dlx (Vertical)

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803157	35L	Body Dome	2 kW	★★★★★	13,299	9,335	655 x 367 x 367
3803158	35L	Body Dome	2 kW	★★★★★	13,299	9,335	655 x 367 x 367
3803153	25L	Body Dome	2 kW	★★★★★	11,849	8,289	513 x 367 x 367
3803154	25L	Body Dome	2 kW	★★★★★	11,849	8,289	513 x 367 x 367
3803147	15L	Body Dome	2 kW	★★★★★	10,299	7,195	562 x 290 x 290
3803148	15L	Body Dome	2 kW	★★★★★	10,299	7,195	562 x 290 x 290
3803141	10L	Body Dome	2 kW	★★★★★	9,349	6,509	442 x 290 x 290
3803142	10L	Body Dome	2 kW	★★★★★	9,349	6,509	442 x 290 x 290

**CDR Dlx (Horizontal)**

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803155	35L	Body Dome	2 kW	★★★★★	13,799	9,700	655 x 367 x 367
3803156	35L - HL	Body Dome	2 kW	★★★★★	13,799	9,700	655 x 367 x 367
3803150	25L	Body Dome	2 kW	★★★★★	12,399	8,688	831 x 320 x 320
3803151	25L - HL	Body Dome	2 kW	★★★★★	12,399	8,688	831 x 320 x 320
3803152	25L I/O	Body Dome	2 kW	★★★★★	12,399	8,688	831 x 320 x 320



I/O - Horizontal Inlet Outlet
HL - Horizontal Left

CDR Dlx (Horizontal)

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803149	25L	Body Dome	2 kW	★★★★	12,399	8,688	831 x 320 x 320
3803143	15L	Body Dome	2KW	★★★★	10,949	7,641	570 x 320 x 320
3803144	15L	Body Dome	2 kW	★★★★	10,949	7,641	570 x 320 x 320
3803145	15L I/O	Body Dome	2 kW	★★★★	10,949	7,641	570 x 320 x 320
3803146	15L - HL	Body Dome	2 kW	★★★★	10,949	7,641	570 x 320 x 320
3803139	10L - HL	Body Dome	2 kW	★★★	9,899	6,908	450 x 320 x 320
3803140	10L	Body Dome	2 kW	★★★	9,899	6,908	450 x 320 x 320

**CDR Swift (Vertical)**

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803161	10 L	Body Dome	3 kW	★★★★	9,499	6,629	442 x 290 x 290
3803159	6 L	Body Dome	3 kW	★★★★	8,899	6,186	394 x 290 x 290

**CDR Swift (Horizontal)**

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803162	10 L	Body Dome	3 kW	★★★★	10,099	7,034	450 x 320 x 320
3803160	6 L	Body Dome	3 kW	★★★★	9,349	6,509	394 x 290 x 290



I/O - Horizontal Inlet Outlet
HL - Horizontal Left

Pronto Stylo

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3801952	6 L	Body Panel	3 kW	★★★★★	8,699	6,098	428 x 270 x 253
3801951	3 L	Body Panel	4.5 kW	NA	4,999	3,497	335 x 209 x 205
3801950	3 L	Body Panel	3 kW	NA	4,749	3,342	335 x 209 x 205
3801949	1 L	Body Panel	4.5 kW	NA	3,899	2,734	281 x 175 x 172
3801948	1 L	Body Panel	3 kW	NA	3,749	2,610	281 x 175 x 172



Pronto Neo

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803200	6 L	Body	3 kW	★★★★★	8,399	5,884	428 x 270 x 253
3801881	6 L	Body	3 kW	★★★★★	8,399	5,884	428 x 270 x 253
3801878	3 L	Body	4.5 kW	NA	4,799	3,368	335 x 209 x 205
3801879	3 L	Body	4.5 kW	NA	4,799	3,368	335 x 209 x 205
3801876	3 L	Body	3 kW	NA	4,599	3,222	335 x 209 x 205
3801877	3 L	Body	3 kW	NA	4,599	3,222	335 x 209 x 205
3801875	1 L	Body	4.5 kW	NA	3,749	2,639	281 x 175 x 172
3801874	1 L	Body	4.5 kW	NA	3,749	2,639	281 x 175 x 172
3801873	1 L	Body	3 kW	NA	3,599	2,522	281 x 175 x 172
3801872	1 L	Body	3 kW	NA	3,599	2,522	281 x 175 x 172





Pronto Neo DN

Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3802523	3 L	Body	3 kW	NA	4,699	3,290	335 x 209 x 205



Pronto Stylo DN



















Product Code	Capacity	Colour	Rated Power	Star Rating	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3802524	3 L	Body Panel	3 kW	NA	4,799	3,374	335 x 209 x 205



GAS






Product Code	kW	Type	Colour	MRP (₹.)	DP (₹.)	Dimension in mm (LxWxD)
3803208	12 kW	LPG	White	7,299	4,673	440 x 300 x 133
3803207	12 kW	NG	White	7,299	4,673	440 x 300 x 133

CHOOSE THE BEST WATER HEATER FROM RACOLD'S LATEST RANGE

		STORAGE								
		Omnis Wi-fi	Omnis Lux	Omnis Lux Plus	Andris Uno	Andris Lux Plus	CDR Vertical	CDR Horizontal	CDR Dlx Vertical	CDR Dlx Horizontal
Benefits	Key features									
	Double level thermostat	✓	✓	✓	✓	✓	✓	✓	✓	✓
Safety	Safety valve	MFV	MFV	MFV	MFV	MFV	MFV	MFV	MFV	MFV
	Auto diagnosis	✓	✓	✓						
	Anti Scalding	✓	✓	✓						
Durability	Titanium enamel HE	✓	✓	✓		✓	Copper HE	Copper HE	Copper HE	Copper HE
	Titanium Plus coating	✓	✓	✓	✓	✓	SPHP	SPHP	✓	✓
Convenience	LED Temp Indicator	✓	✓	✓	Heating indicator	Heating indicator	Heating indicator	Heating indicator	Heating indicator	Heating indicator
	Shower ready	✓	✓	✓	✓	✓	✓	✓	✓	✓
	IOT enabled Wi-Fi	✓								
	Usage Scheduler	✓	✓	✓						
	Power consumption indicator	✓								
	Remote Plus Control (By App)	✓								
	Quick Function		✓	✓						
	Eco Function	✓	✓	✓						
	Smart Bath Logic	✓	✓	✓						
	Temp. regulation Knob	✓	✓	✓	✓	✓				
Aesthetics	Colour Options									
	Body Finish	Matt	Matt	Matt	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy
	Design Type	Square	Square	Square	Square	Square	Cylindrical	Cylindrical	Cylindrical	Cylindrical
Range	Capacity (Ltr.)	15/25	10/15/25	10/15/25	10/15/25	10/15/25	10/15/15-S/25/35/50	10/15/25/35/50	10/15/25/35	10/15/25/35
	Power (kW)	2	2	2	2	2	2	2	2	2
Dimensions (in mm)	Length	360/447	360/360/447	360/360/447	360/360/447	360/360/447	442/562/388/513/655/907	450/570/831/702/907	442/562/513/655	450/570/831/655
	Width	360/447	360/360/447	360/360/447	360/360/447	360/360/447	290/290/367/367/367/399	320/320/320/399/399	290/290/367/367	320/320/320/367
	Depth	324/386	276/324/386	276/324/386	278/326/390	298/346/410	290/290/367/367/367/399	320/320/320/399/399	290/290/367/367	320/320/320/367
Warranty* (in years)	Product	2	2	2	2	2	2	2	2	2
	Heating Element	4	4	4	2	3	2	2	2	2
	Tank	7	7	7	5	5	5	5	5	5
Performance	STAR Rating	5 Star - 25Ltr 4 Star - 15Ltr	5 Star - 25Ltr 4 Star - 15Ltr 4 Star - 10Ltr	5 Star - 25Ltr 4 Star - 15Ltr 4 Star - 10Ltr	5 Star - 25Ltr 4 Star - 15Ltr 4 Star - 10Ltr	5 Star - 25Ltr 4 Star - 15Ltr 4 Star - 10Ltr	5 Star	4 Star - 50Ltr 4 Star - 25Ltr / 15Ltr 3 Star - 35Ltr / 10Ltr	5 Star	4 Star - 15/25Ltr 3 Star - 10/35Ltr
	Max operating pressure (Bar)	8	8	8	8	8	8	8	8	8
	Flexo / Smart Mix technology	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Silver ion Technology			✓		✓				

*Specifications are subject to change without prior notice

CHOOSE THE BEST WATER HEATER FROM RACOLD'S LATEST RANGE

		STORAGE				ELECTRIC INSTANT		SLIM STORAGE
		CDR Swift Vertical	CDR Swift Horizontal	Platinum Plus	Platinum Eco	Pronto Stylo	Pronto Neo	Andris Slim
Benefits	Key features							
	Double level thermostat	✓	✓	✓	✓	✓	✓	✓
Safety	Safety valve	MFV	MFV	MFV	MFV	PRV	PRV	MFV
	Auto diagnosis							
	Anti Scalding							
Durability	Titanium enamel HE	Copper HE	Copper HE	Copper HE	Copper HE	Copper HE	Copper HE	Copper HE
	Titanium Plus coating	✓	✓	✓	✓	SS Tank*	SS Tank*	✓
Convenience	LED Temp Indicator	Heating Indicator	Heating Indicator	Heating Indicator	Heating Indicator	Heating indicator	Heating indicator	Heating indicator
	Shower ready	✓	✓	✓	✓	✓	✓	✓
	IOT enabled Wi-Fi							
	Usage Scheduler							
	Power consumption indicator							
	Remote Plus Control (By App)							
	Quick Function							
	Eco Function							
	Smart Bath Logic							
	Temp. regulation Knob				✓			
Aesthetics	Colour Options							
	Body Finish	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy
	Design Type	Cylindrical	Cylindrical	Prismatic	Cylindrical	Prismatic	Prismatic	Horizontal slim
Range	Capacity (Ltr.)	6/10	6/10	50/100	50/70	1/3/6	1/3/6	20/30**
	Power (kW)	3	3	3	3	3/4.5*	3/4.5*	2.5
Dimensions (in mm)	Length	394/442	394/450	613/993	560/760	281/335/428	281/335/428	700/754
	Width	290/290	290/320	493/493	470/470	175/209/270	175/209/270	280/335
	Depth	290/290	290/320	499/499	485/485	172/205/253	172/205/253	302/340
Warranty* (in years)	Product	2	2	2	2	2	2	2
	Heating Element	2	2	3	3	2	2	3
	Tank	5	5	7	7	5	5	5
Performance	STAR Rating	5 Star	4 Star	5 Star	4 Star	5 Star (6Ltr)	5 Star (6Ltr)	4 Star
	Max operating pressure (Bar)	8	8	8	8	6.5	6.5	8
	Flexo / Smart Mix technology	✓	✓	✓	✓	✓	✓	✓
	Silver ion Technology							

* Specifications are subject to change without prior notice • From the date of purchase

* 4.5kW in only for 1/3 ltr
Pronto Neo and Stylo have a variant in 3Litre 3KW with duronox passivation in tank

**Star label obtained as per BEE guidelines considering 15 Ltr and 25 Ltr capacities for 20 Ltr and 30 Ltr products respectively.



Racold

Reborn Everyday With Hot Water

Delivering excellence in water heating since 60 years



Winner of
Good Design
Award

24x7
WhatsApp
Chat Assistance

 **73628 88999**

 **1860-425-2288**

www.racold.com



MARKETED BY: **ARISTON THERMO INDIA PRIVATE LIMITED.**

2nd Floor, Eastern Wing, Nyati Unitree, Nagar Road, Yerwada, Pune - 411 006 (India).

Customer Care Details

Email: customer.care@racold.com | **Customer Care No.:** 1860 425 2288 / 8600 25 6000.

Address: Same as marketed by.

Disclaimer:

- 'Racold' brand is a registered trademark of Ariston Thermo Group
- Any dispute shall be subject to the exclusive jurisdiction of Pune Courts • Always use genuine Racold spare parts and connecting pipes
- Always get your installation done by authorized Racold Service center only • Specifications & Prices are subject to change without prior notice
- The images are for representative purposes and the actual product may vary • Star rating obtained as per BEE guideline